



**ROXBURY PUBLIC SCHOOLS
LEAD IN DRINKING WATER
FIRST DRAW SAMPLING REPORT**

PERFORMED FOR:

ROXBURY PUBLIC SCHOOLS
42 NORTH HILLSIDE AVENUE
SUCCASUNNA, NJ 07876

PERFORMED BY:

WESTCHESTER ENVIRONMENTAL LLC
1248 WRIGHTS LANE
WEST CHESTER, PA 19380

MARCH 2022



March 31, 2022

Mr. Peter Riffel
Roxbury Public Schools
42 North Hillside Avenue
Succasunna, NJ 07876

Re: LEAD IN DRINKING WATER REPORT- FIRST ROUND SAMPLING

Dear Mr. Riffel;

Please find enclosed the report for the Lead in Drinking Water-First Draw Sampling conducted for Roxbury Public Schools.

If you have any questions, please contact me at 610-431-7545 or email me at nabraham@westchesterenvironmental.com.

Sincerely,

Westchester Environmental, LLC

A handwritten signature in black ink, appearing to read 'Noel Abraham', is written over a horizontal line.

Noel Abraham
Environmental Specialist



TABLE OF CONTENTS

ROXBURY PUBLIC SCHOOLS

1.0	INTRODUCTION.....	1
2.0	SUMMARY OF FINDINGS.....	2
3.0	SAMPLING AND ANALYSES.....	6
4.0	DISCUSSION & RECOMMENDATIONS.....	7
5.0	DISCLAIMER.....	8

Appendix I – Water Sampling Chain-of-Custody & Laboratory Reports



1.0 INTRODUCTION

Westchester Environmental, LLC was contracted by Mr. Peter Riffel to conduct Drinking Water Sampling at the following Roxbury Public Schools:

1. Jefferson Elementary
2. Kennedy Elementary
3. Franklin Elementary
4. Lincoln Roosevelt
5. Nixon Elementary
6. Eisenhower Middle
7. Roxbury High

The purpose of the sampling was to collect first draw drinking water samples at predetermined locations in the seven facilities and have them analyzed for lead levels.

The water sampling was performed on March 13, 2022 by Noel Abraham and Chris Piccininni of Westchester Environmental, LLC.

All samples were analyzed by Suburban Testing Labs located at 1037 MacArthur Rd, Reading, PA 19605, a New Jersey certified Lead in Drinking Water testing facility.

-END OF SECTION-



2.0 SUMMARY OF FINDINGS

First Draw samples were collected and submitted for lead analysis. Tables 1-7 below shows the concentration of lead (parts per billion or microgram per liter) at each location sampled.

Table 1: Jefferson Elementary

Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
1 JES-KO-KITCHEN	<1.00	15.5	No
2 JES-FC-CAFETERIA	<1.00	15.5	No
3 JES-FB-HW GYM BY RM 35	<1.00	15.5	No
4 JES-MO-NURSE	9.92	15.5	No
5 JES-TL-TEACHERS LOUNGE	3.21	15.5	No
6 JES-SO-48B	4.06	15.5	No
7 JES-FB-HW BY RM 07	<1.00	15.5	No

Table 2: Kennedy Elementary

Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
8 KES-FC-HW BY MAIN OFFICE	<1.00	15.5	No
9 KES-FCCAFETERIA	<1.00	15.5	No
10 KES-KO-KITCHEN-01	2.10	15.5	No
11 KES-TL-TEACHERS LOUNGE	1.38	15.5	No
12 KES-FC-HW BY GYM-01	1.44	15.5	No
13 KES-FC-HW BY GYM-02	1.42	15.5	No
14 KES-MO-NURSE	2.89	15.5	No

Table 3: Franklin Elementary

Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
15 FES-TL-TEACHERS LOUNGE	<1.00	15.5	No
16 FES-KO-KITCHEN-01	6.65	15.5	No
17 FES-KO-KITCHEN-02	1.79	15.5	No
18 FES-MO-NURSE	5.70	15.5	No
19 FES-FC-HW BY RM24	<1.00	15.5	No



Table 4: Lincoln Roosevelt School

	Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
20	LRS-MO-NURSE	<1.00	15.5	No
21	LRS-FC-HW BY 107	<1.00	15.5	No
22	LRS-KO-KITCHEN	1.71	15.5	No
23	LRS-FC-HW BY 215	1.10	15.5	No
24	LRS-FC-HW BY 203	6.95	15.5	No
25	LRS-TL-TEACHERS LOUNGE	1.82	15.5	No
26	LRS-KO-KITCHEN	2.62	15.5	No
27	LRS-FC-HW BY 208	<1.00	15.5	No
28	LRS-FC-HW BY AUDITORIUM	<1.00	15.5	No

Table 4: Lincoln Roosevelt School

	Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
20	LRS-MO-NURSE	<1.00	15.5	No
21	LRS-FC-HW BY 107	<1.00	15.5	No
22	LRS-KO-KITCHEN	1.71	15.5	No
23	LRS-FC-HW BY 215	1.10	15.5	No
24	LRS-FC-HW BY 203	6.95	15.5	No
25	LRS-TL-TEACHERS LOUNGE	1.82	15.5	No
26	LRS-KO-KITCHEN	2.62	15.5	No
27	LRS-FC-HW BY 208	<1.00	15.5	No
28	LRS-FC-HW BY AUDITORIUM	<1.00	15.5	No

Table 5: Nixon Elementary

	Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
29	NES-FC-HW BY MAIN OFFICE	<1.00	15.5	No
30	NES-KO-KITCHEN	11.2	15.5	No
31	NES-TL-TEACHERS LOUNGE	4.27	15.5	No
32	NES-FC-HW BY GYM-01	1.32	15.5	No
33	NES-FC-HW BY GYM-02	2.50	15.5	No
34	NES-MO-NURSE	3.44	15.5	No



Table 6: Eisenhower Middle

	Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
35	EMS-SO-LIBRARY OFFICE	8.36	15.5	No
36	EMS-MO-NURSE	5.45	15.5	No
37	EMS-TL-TEACHERS LOUNGE	1.53	15.5	No
38	EMS-SO-GUIDANCE	1.15	15.5	No
39	EMS-FB-HW BY AUDITORIUM	<1.00	15.5	No
40	EMS-SO-32	4.63	15.5	No
41	EMS-FB-HW BY RM 19-01	6.63	15.5	No
42	EMS-FB-HWBY RM 19-02	5.97	15.5	No
43	EMS-FC-HW BY RM 31	<1.00	15.5	No
44	EMS-FC-CAFETERIA	<1.00	15.5	No
45	EMS-KO-KITCHEN	2.85	15.5	No

Table 7: Roxbury High

	Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
46	RHS-SO-Athletic Room	<1.00	15.5	No
47	RHS-IM Athletic Room	<1.00	15.5	No
48	RHS-BF-HW BY D131	2.98	15.5	No
49	RHS-BF-HW By D138	<1.00	15.5	No
50	RHS-MO-Nurse	3.50	15.5	No
51	RHS-SO-C122-01	1.60	15.5	No
52	RHS-SO-123	2.46	15.5	No
53	RHS-BF-HW by F1548-02	1.45	15.5	No
54	RHS-SO-Main Office	1.39	15.5	No
55	RHS-HE-B113-01	1.07	15.5	No
56	RHS-HE-B113-02	<1.00	15.5	No
57	RHS-HE-B113-03	1.33	15.5	No
58	RHS-HE-B113-04	<1.00	15.5	No
59	RHS-HE-B113-05	<1.00	15.5	No
60	RHS-HE-B113-06	<1.00	15.5	No
61	RHS-SO-B117	2.05	15.5	No
62	RHS-FB-HW BY B117	1.02	15.5	No
63	RHS-SO-A104	5.17	15.5	No
64	RHS-HE-A106-01	<1.00	15.5	No
65	RHS-HE-A106-02	<1.00	15.5	No
66	RHS-HE-A106-03	<1.00	15.5	No



Location Code	Result (ppb)	Action Level (ppb)	Lead Hazard (Yes/No)
67 RHS-HE-A106-04	1.47	15.5	No
68 RHS-HE-A106-05	1.79	15.5	No
69 RHS-HE-A106-06	1.12	15.5	No
70 RHS-KO-KITCHEN-01	1.38	15.5	No
71 RHS-KO-KITCHEN-02	3.14	15.5	No
72 RHS-IM KITCHEN	1.72	15.5	No
73 RHS-KO-KITCHEN-04	59.3	15.5	Yes
74 RHS-KO-KITCHEN-03	2.97	15.5	No
75 RHS-FB-CAFETERIA-01	<1.00	15.5	No
76 RHS-FB-CAFETERIA-02	<1.00	15.5	No
77 RHS-FB-HW BY H170	<1.00	15.5	No
78 RHS-FB-HW BY O233	5.58	15.5	No
79 RHS-TL-TEACHERS LOUNGE	1.71	15.5	No
80 RHS-FB-HW BY M218	<1.00	15.5	No
81 RHS-BF-HW BY L201	1.27	15.5	No
82 Field Blank	<1.00	15.5	No

-END OF SECTION-



3.0 SAMPLING AND ANALYSES

The following guidance documents were followed for all sampling:

1. N.J.A.C. 6A:26
2. The EPA's Revised Technical Guidance - "3Ts for Reduced Lead in Drinking Water in Schools"
3. Guidance Document from NJDEP Division of Water Supply and Geoscience – "Lead in Drinking Water: Guidance for Schools and Child Care Facilities Served by Public Water".

Eighty one (81) first draw samples, along with one field blank for quality control purposes, were collected. All first draw samples were analyzed.

All samples were labeled with a unique identification number and transported to the Suburban Laboratory for analysis for lead in drinking water using EPA Method 200.8.

-END OF SECTION-

4.0 DISCUSSION & RECOMMENDATIONS

According to the US EPA, lead enters drinking water primarily through plumbing materials.

For further information on guidance protocols and Action Levels that were followed please refer to:

1. N.J.A.C. 6A:26
2. The EPA's Revised Technical Guidance - "3Ts for Reduced Lead in Drinking Water in Schools"
3. Guidance Document from NJDEP Division of Water Supply and Geoscience – "Lead in Drinking Water: Guidance for Schools and Child Care Facilities Served by Public Water".

Based on laboratory analysis of the samples analyzed, one (1) sample exceeded the action limit.

Immediate / Short Term Action Required:

1. Immediately discontinue using water at locations exceeding the NJDEP 15.5 ppb Action Level.
2. The follow-up flush sample for the outlet that exceeded the action limit needs to be collected and submitted to the laboratory for analysis.
3. Refer to EPA's "**for Reducing Lead in Drinking Water in Schools and Child Care Facilities**" for other short term and long term suggested remediation measures and notification procedures.

The type of samples collected for this assessment are referred to as grab samples. Grab samples are individual discrete samples collected at a specific time and location and are reflective of the conditions at that time of collection.

It is important to note that the Lead Hazard Assessment was a snap shot of the conditions existing at the time of the assessment and conditions may vary with time.

-END OF SECTION-



5.0 DISCLAIMER

The Lead Hazard Assessment has limitations with regards to identification of actual health and environmental issues. It is limited to only those items listed in the report and all items reflect conditions at the time of the assessment only.

Westchester Environmental LLC warrants only that the contents of this report constitute an informed discussion of the assessment at the subject property and is prepared exclusively for, and is confidential to, the above noted client. Westchester Environmental LLC assumes no liability with regards to the use of this information or decisions, which are made regarding the subject property. The user(s) of this information must use their own best judgment to determine the appropriate course of action.

Westchester Environmental LLC

A handwritten signature in black ink, appearing to read 'Noel Abraham', followed by a horizontal line.

Noel Abraham
Environmental Specialist

-END OF REPORT-

APPENDIX I

**LEAD IN DRINKING WATER SAMPLING
CHAINS-OF-CUSTODY & LAB REPORTS**



Results Report

Order ID: 2C03837

Westchester Environmental
1248 Wrights Lane
West Chester, PA 19380

Project: Roxbury School District
1 Bryant Dr.
Succasunna, NJ 07876

Attn: Noel Abraham

Regulatory ID:

Sample Number: 2C03837-01
Collector: NPA

Site: RHS-SO-Athletic Room
Collect Date: 03/13/2022 10:10 am

Sample ID:
Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead < 1.00 µg/L EPA 200.8 1.00 1 03/16/22 YBZ 03/21/22 16:16 MKR

Sample Number: 2C03837-02
Collector: NPA

Site: RHS-IM Athletic Room
Collect Date: 03/13/2022 10:11 am

Sample ID:
Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead < 1.00 µg/L EPA 200.8 1.00 1 03/16/22 YBZ 03/21/22 16:22 MKR

Sample Number: 2C03837-03
Collector: NPA

Site: RHS-BF-HW BY D131
Collect Date: 03/13/2022 10:15 am

Sample ID:
Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead 2.98 µg/L EPA 200.8 1.00 1 03/16/22 YBZ 03/21/22 16:28 MKR

Sample Number: 2C03837-04
Collector: NPA

Site: RHS-BF-HW By D138
Collect Date: 03/13/2022 10:16 am

Sample ID:
Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead < 1.00 µg/L EPA 200.8 1.00 1 03/16/22 YBZ 03/21/22 16:30 MKR

Sample Number: 2C03837-05
Collector: NPA

Site: RHS-MO-Nurse
Collect Date: 03/13/2022 10:17 am

Sample ID:
Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead 3.50 µg/L EPA 200.8 1.00 1 03/16/22 YBZ 03/21/22 16:32 MKR

Report Generated On: 03/28/2022 3:40 pm 2C03837
STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 2C03837-06	Site: RHS-SO-C122-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:20 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.60	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:34	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-07	Site: RHS-SO-123	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:20 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.46	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:35	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-08	Site: RHS-BF-HW by F1548-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:21 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.45	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:41	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-09	Site: RHS-SO-Main Office	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:23 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.39	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:42	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-10	Site: RHS-HE-B113-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:25 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.07	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:44	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-11	Site: RHS-HE-B113-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:25 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:45	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-12	Site: RHS-HE-B113-03	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:26 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.33	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:47	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-13	Site: RHS-HE-B113-04	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:27 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:49	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-14	Site: RHS-HE-B113-05	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:28 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:50	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-15	Site: RHS-HE-B113-06	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:29 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:52	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-16	Site: RHS-SO-B117	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:30 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.05	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:53	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-17	Site: RHS-FB-HW BY B117	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:30 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.02	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 16:55	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-18	Site: RHS-SO-A104	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:31 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	5.17	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:02	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-19	Site: RHS-HE-A106-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:31 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:04	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-20	Site: RHS-HE-A106-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:31 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:05	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-21	Site: RHS-HE-A106-03	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:31 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:12	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-22	Site: RHS-HE-A106-04	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:32 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.47	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:17	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-23	Site: RHS-HE-A106-05	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:32 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.79	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:21	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-24	Site: RHS-HE-A106-06	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:32 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.12	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:23	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-25	Site: RHS-KO-KITCHEN-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:35 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.38	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:25	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-26	Site: RHS-KO-KITCHEN-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:36 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	3.14	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:26	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-27	Site: RHS-IM KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:36 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.72	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:28	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-28	Site: RHS-KO-KITCHEN-04	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:36 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	59.2	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:29	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-29	Site: RHS-KO-KITCHEN-03	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:37 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.97	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:31	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-30	Site: RHS-FB-CAFETERIA-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:39 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:33	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-31	Site: RHS-FB-CAFETERIA-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:39 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:34	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-32	Site: RHS-FB-HW BY H170	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:41 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:36	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-33	Site: RHS-FB-HW BY O233	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:44 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	5.58	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:04	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-34	Site: RHS-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:45 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.71	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:08	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-35	Site: RHS-FB-HW BY M218	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:46 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:41	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-36	Site: RHS-BF-HW BY L201	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 10:48 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.27	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:42	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-37	Site: EMS-SO-LIBRARY OFFICE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:05 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	8.36	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:22	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-38	Site: EMS-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:06 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	5.45	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:25	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-39	Site: EMS-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:07 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.53	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:44	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-40	Site: EMS-SO-GUIDANCE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:08 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.15	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:45	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 2C03837-41	Site: EMS-FB-HW BY AUDITORIUM	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:09 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:49	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-42	Site: EMS-SO-32	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:10 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	4.63	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:10	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-43	Site: EMS-FB-HW BY RM 19-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:12 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	6.63	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:12	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-44	Site: EMS-FB-HWBY RM 19-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:12 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	5.97	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:15	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-45	Site: EMS-FC-HW BY RM 31	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:14 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:17	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-46	Site: EMS-FC-CAFETERIA	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:15 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:30	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-47	Site: EMS-KO-KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:16 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.85	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:06	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-48	Site: JES-KO-KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:31 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:18	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-49	Site: JES-FC-CAFETERIA	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:32 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:14	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-50	Site: JES-FB-HW GYM BY RM 35	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:33 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:20	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-51	Site: JES-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:35 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	9.92	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:22	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-52	Site: JES-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:35 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	3.21	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:25	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-53	Site: JES-SO-48B	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:37 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	4.06	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:23	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-54	Site: JES-FB-HW BY RM 07	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:38 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:31	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-55	Site: KES-FC-HW BY MAIN OFFICE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:47 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:33	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-56	Site: KES-FCCAFETERIA	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:48 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:34	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-57	Site: KES-KO-KITCHEN-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:49 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.10	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:54	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-58	Site: KES-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:50 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.38	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:29	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-59	Site: KES-FC-HW BY GYM-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:51 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.44	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:32	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-60	Site: KES-FC-HW BY GYM-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:51 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.42	µg/L	EPA 200.8	1.00	1	03/21/22	RPV	03/22/22 13:36	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-61	Site: KES-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 11:52 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.89	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:38	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 2C03837-62	Site: FES-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:01 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:32	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-63	Site: FES-KO-KITCHEN-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:04 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	6.65	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:34	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-64	Site: FES-KO-KITCHEN-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:04 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.79	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:35	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-65	Site: FES-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:03 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	5.70	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:37	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-66	Site: FES-FC-HW BY RM24	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:06 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:38	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-67	Site: LRS-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:15 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:27	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-68	Site: LRS-FC-HW BY 107	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:16 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:42	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 2C03837-69	Site: LRS-KO-KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:17 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.71	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:43	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-70	Site: LRS-FC-HW BY 215	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:22 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.10	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:45	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-71	Site: LRS-FC-HW BY 203	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:22 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	6.95	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:46	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-72	Site: LRS-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:26 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.82	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:51	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-73	Site: LRS-KO-KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:27 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.62	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:40	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-74	Site: LRS-FC-HW BY 208	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:29 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:54	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-75	Site: LRS-FC-HW BY AUDITORIUM	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:28 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:56	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-76	Site: NES-FC-HW BY MAIN OFFICE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:48 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:58	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-77	Site: NES-KO-KITCHEN	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:49 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	11.2	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:59	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-78	Site: NES-TL-TEACHERS LOUNGE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:50 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	4.27	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:01	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-79	Site: NES-FC-HW BY GYM-01	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:51 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	1.32	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 14:53	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-80	Site: NES-FC-HW BY GYM-02	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:52 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.50	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/25/22 15:42	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 2C03837-81	Site: NES-MO-NURSE	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:52 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	3.44	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 17:52	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 03/28/2022 3:40 pm 2C03837
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 2C03837-82	Site: Field Blank	Sample ID:
Collector: NPA	Collect Date: 03/13/2022 12:55 pm	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
<u>Metals</u>									
Lead	< 1.00	µg/L	EPA 200.8	1.00	1	03/16/22	YBZ	03/21/22 18:00	MKR

Sample Receipt Conditions:

All samples met the sample receipt requirements for the relevant analyses.

The test *pH, Lab* is performed in the Laboratory as soon as possible. These results are not appropriate for compliance with NPDES, SDWA, or other regulatory programs that require analysis within 15 minutes of sample collection and should be considered for informational purposes only.

**pH, Final* for ASTM leachate is performed by method SM 4500-H-B.

All results meet the requirements of STL's TNI (NELAC) Accredited Quality System unless otherwise noted. If your results contain any data qualifiers or comments, you should evaluate useability relative to your needs.

If collectors initials include "STL", samples have been collected in accordance with STL SOP SL0015.

All results reported on an As Received (Wet Weight) basis unless otherwise noted.

This laboratory report may not be reproduced, except in full, without the written approval of STL.

Results are considered Preliminary unless report is signed by authorized representative of STL.

Reviewed and Released By:

Lisa F. Care
Project Manager II

Report Generated On: 03/28/2022 3:40 pm 2C03837
STL_Results Revision #1.9 Effective: 04/16/2020





2C03837
Lisa F. Care



TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One) Standard 24hr 48hr 72hr Other

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenviromental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	10) 250ml P + HNO3											
First	RHS-SO-Athletic Room	03/13/22	10:10 AM	NPA	001	Pb EPA 200.8	1	PW	G	P	H	Athletic Training Room
First	RHS-IM-Athletic Room	03/13/22	10:11 AM	NPA	002	Pb EPA 200.8	1	PW	G	P	H	Athletic Training Room
First	RHS-BF-HW BY D131	03/13/22	10:15 AM	NPA	003	Pb EPA 200.8	1	PW	G	P	H	HW by D131
First	RHS-BF-HW by D138	03/13/22	10:16 AM	NPA	004	Pb EPA 200.8	1	PW	G	P	H	HW by D138
First	RHS-MO-Nurse	03/13/22	10:17 AM	NPA	005	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	RHS-SO-C122-01	03/13/22	10:20 AM	NPA	006	Pb EPA 200.8	1	PW	G	P	H	C122-01
First	RHS-SO-C123	03/13/22	10:20 AM	NPA	007	Pb EPA 200.8	1	PW	G	P	H	C123
First	RHS-BF-HW by F1548-02	03/13/22	10:21 AM	NPA	008	Pb EPA 200.8	1	PW	G	P	H	HW by F1548-02
First	RHS-SO-Main Office	03/13/22	10:23 AM	NPA	009	Pb EPA 200.8	1	PW	G	P	H	Main Office
First	RHS-HE-B113-01	03/13/22	10:25 AM	NPA	010	Pb EPA 200.8	1	PW	G	P	H	B113-01

Relinquished by: *[Signature]*

Date: 3/15/22
Time: 10:00

Received By: *Amy DeWiney, cooler*

Date: 3/15/22
Time: 1320
Temp °C: 16.0 °C
Acceptable Y/N: Cooler

Relinquished by: *Amy DeWiney, cooler*

Date: 3/15/22
Time: 1525
Temp °C: 14.3 °C
Acceptable Y/N: Cooler

Received in Lab By:

CB
10

Date: 3-15-22
Time: 1525
Temp °C: 14.3 °C
Acceptable Y/N

Sample Conditions	Matrix Key	Bottle Type Key
Submitted to CDC <input checked="" type="checkbox"/> Y/N	NPW = Non-Potable Water	P = Plastic
Integrity to container's match <input checked="" type="checkbox"/> Y/N	Solid = Raw Sludge, Dissolved = Sludge, soil, etc. (reported as mg/l)	G = Glass
All containers intact <input checked="" type="checkbox"/> Y/N	PW = Potable Water (not for SWDA compliance)	D = Other
Tests within holding time <input checked="" type="checkbox"/> Y/N	SWDA = Safe Drinking Water Act Potable Sample	Preservative Key
40 ml. VOA vials free of meqspaque? <input checked="" type="checkbox"/> Y/N	Sample Type Key (SWDA Sample Type)	H = Sodium Thiophosphate
	G = Grab	A = Ascorbic Acid
	D = Distribution	H = HNO3
	BMC = 8 Hour	S =
	E = Empty Port	G = HCl
	R = Raw	H2SO4
	C = Check	D = Other
	K = Special	None Required
	M = Maximum Residence	

3/15/22 *x* Standard Sample pick up



2C03837
Lisa F. Care



Chain of Custody Record

TAT (Check One) Standard 24hr 48hr 72hr Other

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenviromental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	(10) 250 mL P+HNO3											
First	RHS-HE-B113-02	03/13/22	10:25 AM	NPA	011	Pb EPA 200.8	1	PW	G	P	H	B113-02
First	RHS-HE-B113-03	03/13/22	10:26 AM	NPA	012	Pb EPA 200.8	1	PW	G	P	H	B113-03
First	RHS-HE-B113-04	03/13/22	10:27 AM	NPA	013	Pb EPA 200.8	1	PW	G	P	H	B113-04
First	RHS-HE-B113-05	03/13/22	10:28 AM	NPA	014	Pb EPA 200.8	1	PW	G	P	H	B113-05
First	RHS-HE-B113-06	03/13/22	10:29 AM	NPA	015	Pb EPA 200.8	1	PW	G	P	H	B113-06
First	RHS-SO-B117	03/13/22	10:30 AM	NPA	016	Pb EPA 200.8	1	PW	G	P	H	B117
First	RHS-FB-HW by B117	03/13/22	10:30 AM	NPA	017	Pb EPA 200.8	1	PW	G	P	H	HW by B117
First	RHS-SO-A104	03/13/22	10:31 AM	NPA	018	Pb EPA 200.8	1	PW	G	P	H	A104
First	RHS-HE-A106-01	03/13/22	10:31 AM	NPA	019	Pb EPA 200.8	1	PW	G	P	H	A106-01
First	RHS-HE-A106-02	03/13/22	10:31 AM	NPA	020	Pb EPA 200.8	1	PW	G	P	H	A106-02

Relinquished by:

Chpt...

Date: 3/15/22

Time: 10:00

Received By:

Amy Deviney 1 Cooler

Date: 3/15/22

Temp °C: 16.0 °C

Time: 13:20

Acceptable Y/N
Cooler

Relinquished by:

Amy Deviney 1 Cooler

Date: 3/15/22

Temp °C: 14.3 °C

Time: 15:25

Acceptable Y/N
Cooler

Received in Lab By:

CB 10

Date: 3/15/22

Temp °C: 14.3 °C

Time: 15:25

Acceptable Y/N

Sample Conditions	Matrix Key	Bottle Type Key
Submitted w/ CDC	NPW = Non-Potable Water	P = Plastic
Retention or container match	Solid = Raw Sludge / Dewatered Sludge, etc. (reported as TSS)	G = Glass
Retention or container match	PW = Potable Water (not for SWDA compliance)	D = Other
All containers filled	SWDA = Safe Drinking Water Act Potable Sample	Preservative Key
Tests within holding time	Sample Type Key	H = Sodium Hydroxide
40 mg VOA free of preservative?	G = Grab	A = Ascorbic Acid
	5 HC = 5 Hour Composite	H = HNO3
	24 HC = 24 Hour Composite	S =
		OH = NaOH
		NA =
		None Required



2C03837
Lisa F. Care



Chain of Custody Record

TAT (Check One) Standard 24hr 48hr 72hr Other

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenviromental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	(10) 250ml P+HNO3											
First	RHS-HE-A106-03	03/13/22	10:31 AM	NPA	021	Pb EPA 200.8	1	PW	G	P	H	A106-03
First	RHS-HE-A106-04	03/13/22	10:32 AM	NPA	022	Pb EPA 200.8	1	PW	G	P	H	A106-04
First	RHS-HE-A106-05	03/13/22	10:32 AM	NPA	023	Pb EPA 200.8	1	PW	G	P	H	A106-05
First	RHS-HE-A106-06	03/13/22	10:32 AM	NPA	024	Pb EPA 200.8	1	PW	G	P	H	A106-06
First	RHS-KO-Kitchen-01	03/13/22	10:35 AM	NPA	025	Pb EPA 200.8	1	PW	G	P	H	Kitchen-01
First	RHS-KO-Kitchen-02	03/13/22	10:36 AM	NPA	026	Pb EPA 200.8	1	PW	G	P	H	Kitchen-02
First	RHS-IM-Kitchen	03/13/22	10:36 AM	NPA	027	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	RHS-KO-Kitchen-04	03/13/22	10:36 AM	NPA	028	Pb EPA 200.8	1	PW	G	P	H	Kitchen-04
First	RHS-KO-Kitchen-03	03/13/22	10:37 AM	NPA	029	Pb EPA 200.8	1	PW	G	P	H	Kitchen-03
First	RHS-FB-Cafeteria-01	03/13/22	10:39 AM	NPA	030	Pb EPA 200.8	1	PW	G	P	H	Cafeteria-01

Relinquished by:

Date: 3/15/22
Time: 10:00

Received By:

Date: 3/15/22
Time: 1320
Temp °C: 16.0 °C
Acceptable Y/N
Cooler

Relinquished by:

Date: 3/15/22
Time: 1525
Temp °C: 14.3 °C
Acceptable Y/N
Cooler

Received in Lab By:

Date: 3/15/22
Time: 1525
Temp °C: 14.3 °C
Acceptable Y/N

Sample Conditions	Matrix Key	Bottle Type Key
Submitted in COC <input checked="" type="checkbox"/>	NPW = Non-Potable Water	P = Plastic
Refrigerator or cooler used <input checked="" type="checkbox"/>	Solid = Iron Sludge, Dewatered Sludge and/or (reported as mg/l)	G = Glass
Number of containers match number on COC? <input checked="" type="checkbox"/>	PW = Potable Water (not for SWDA compliance)	O = Other
All containers sealed <input checked="" type="checkbox"/>	SWDA = Safe Drinking Water Act	Preservative Key
Tests within holding time <input checked="" type="checkbox"/>	Fixable Sample	H = Sodium Thiosulfate
60 ml WDA vials used for headspace? <input checked="" type="checkbox"/>	Sample Type Key	Acid
	G = Grab	A = Ascorbic Acid
	24 HC = 24 Hour Composite	H = HNO3
	IC = Check	C = HCl
	IS = Special	H2SO4
	MA = Maximum Residence	O = Other
		None Required



2C03837
Lisa F. Care



TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One) Standard 24hr 48hr 72hr Other

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenvironmental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	<i>(10) 250mL P7 #1 No 3.</i>											
First	RHS-FB-Cafeteria-02	03/13/22	10:39 AM	NPA	031	Pb EPA 200.8	1	PW	G	P	H	Cafeteria-02
First	RHS-FB-HW by H170	03/13/22	10:41 AM	NPA	032	Pb EPA 200.8	1	PW	G	P	H	HW by H170
First	RHS-FB-HW by O233	03/13/22	10:44 AM	NPA	033	Pb EPA 200.8	1	PW	G	P	H	HW by O233
First	RHS-TL-Teachers Lounge	03/13/22	10:45 AM	NPA	034	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	RHS-FB-HW by M218	03/13/22	10:46 AM	NPA	035	Pb EPA 200.8	1	PW	G	P	H	HW by M218
First	RHS-BF-HW by L201	03/13/22	10:48 AM	NPA	036	Pb EPA 200.8	1	PW	G	P	H	HW by L201
First	EMS-SO-Library Office	03/13/22	11:05 AM	NPA	037	Pb EPA 200.8	1	PW	G	P	H	Library Office
First	EMS-MO-Nurse	03/13/22	11:06 AM	NPA	038	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	EMS-TL-Teachers Lounge	03/13/22	11:07 AM	NPA	039	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	EMS-SO-Guidance	03/13/22	11:08 AM	NPA	040	Pb EPA 200.8	1	PW	G	P	H	Guidance

Relinquished by: *[Signature]* Date: 3/15/22
 Time: 10:00

Received By: *Amy Dunaway* Date: 3/15/22 Temp °C: 16.0°C
 Time: 1320 Cooler Acceptable Y / N

Relinquished by: *Amy Dunaway* Date: 3/15/22 Temp °C: 14.3°C
 Time: 1525 Cooler Acceptable Y / N

Received in Lab By: *CB* Date: 3/15/22 Temp °C: 14.3°C
 Time: 1525 Acceptable Y / N

Sample Conditions	Matrix Key	Bottle Type Key
Submitted w/ CDC <input checked="" type="checkbox"/> Y/N	NPW = Non-Potable Water	P = Plastic
Residue in containers match number on label? <input checked="" type="checkbox"/> Y/N	Solid = Raw Sludge, Sewerage, Sludge soil, etc. (reported as mg/L)	G = Glass
All containers intact <input checked="" type="checkbox"/> Y/N	PW = Potable Water (not for SWDA compliance)	O = Other
Tests within holding times <input checked="" type="checkbox"/> Y/N	SDWA = Safe Drinking Water Act Potable Sample	Preservative Key
40 mL NDA vials free of headspace? <input checked="" type="checkbox"/> Y/N	Sample Type Key	H = Sodium
	G = Grab	Thiosulfate
	8 HC = 8 Hour Composite	Acid
	24 HC = 24 Hour Composite	A = Ascorbic
		H = HNO3
		G = HCl
		S =
		H2SO4
		OH = NaOH
		O = Other
		None Required
		NA =



2C03837
Lisa F. Care



TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One)

Standard

24hr

48hr

72hr

Other

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenviromental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	(10) 250mL P+HNO3											
First	EMS-FB-HW by Auditorium	03/13/22	11:09 AM	NPA	041	Pb EPA 200.8	1	PW	G	P	H	Auditorium Lobby
First	EMS-SO-32	03/13/22	11:10 AM	NPA	042	Pb EPA 200.8	1	PW	G	P	H	Room 32
First	EMS-FB-HW by Rm 19-01	03/13/22	11:12 AM	NPA	043	Pb EPA 200.8	1	PW	G	P	H	HW by Rm 19-01
First	EMS-FB-HW by Rm 19-02	03/13/22	11:12 AM	NPA	044	Pb EPA 200.8	1	PW	G	P	H	HW by Rm 19-02
First	EMS-FC-HW by Rm 31	03/13/22	11:14 AM	NPA	045	Pb EPA 200.8	1	PW	G	P	H	HW by Rm 31
First	EMS-FC-Cafeteria	03/13/22	11:15 AM	NPA	046	Pb EPA 200.8	1	PW	G	P	H	Cafeteria
First	EMS-KO-Kitchen	03/13/22	11:16 AM	NPA	047	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	JES-KO-Kitchen	03/13/22	11:31 AM	NPA	048	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	JES-FC-Cafeteria	03/13/22	11:32 AM	NPA	049	Pb EPA 200.8	1	PW	G	P	H	Cafeteria
First	JES-FB-HW Gym by Rm 35	03/13/22	11:33 AM	NPA	050	Pb EPA 200.8	1	PW	G	P	H	HW Gym & Rm 35

Relinquished by:

Date: 3/15/22

Time: 10:00

Received By:

Date: 3/15/22

Time: 1320

Temp °C: 16.0 °C

Acceptable Y / N

Relinquished by:

Date: 3/15/22

Time: 1525

Temp °C: 14.3 °C

Acceptable Y / N

Received in Lab By:

Date: 3/15/22

Time: 1525

Temp °C: 14.3 °C

Acceptable Y / N

Sample Conditions	Matrix Key	Bottle Type Key	Reporting options
Submitted w/ COC <input checked="" type="checkbox"/>	NPW = Non-Potable Water	P = Plastic	SWDA Reporting <input type="checkbox"/>
Residuals or containers match number on label? <input checked="" type="checkbox"/>	SWD = Raw Sewage, Sewerline, Storage, etc. (reported as mg/l)	G = Glass	FW SID <input type="checkbox"/>
All containers intact <input checked="" type="checkbox"/>	PW = Potable Water (not for SWDA compliance)	O = Other	Fax <input type="checkbox"/>
Tests within holding times <input checked="" type="checkbox"/>	SWDA = Safe Drinking Water Act Potable Sample	Preservative Key	Email <input type="checkbox"/>
40 mL VOA vials free of headspace? <input checked="" type="checkbox"/>	Sample Type Key (SWDA Sample Type)	H = Sodium	Other <input type="checkbox"/>
	G = Grab	Thiosphate	A = Ascorbic
	RHC = 8 Hour Composite	As2	H = HNO3
	24HC = 24 Hour Composite	C = HCl	S =
		H2SO4	OH = NaOH
		O = Other	NA =
		None Required	Return a copy of this form with Report <input type="checkbox"/>



2C03837
Lisa F. Care



Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One) Standard 24hr 48hr 72hr Other

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenviromental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	(10) 250mL P+HN03 Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
First	JES-MO-Nurse	03/13/22	11:35 AM	NPA	051	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	JES-TL-Teachers Lounge	03/13/22	11:35 AM	NPA	052	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	JES-SO-48B	03/13/22	11:37 AM	NPA	053	Pb EPA 200.8	1	PW	G	P	H	48B
First	JES-FB-HW by Rm 07	03/13/22	11:38 AM	NPA	054	Pb EPA 200.8	1	PW	G	P	H	HW by Rm 07
First	KES-FC-HW by Main Office	03/13/22	11:47 AM	NPA	055	Pb EPA 200.8	1	PW	G	P	H	Main Office
First	KES-FC-Cafeteria	03/13/22	11:48 AM	NPA	056	Pb EPA 200.8	1	PW	G	P	H	Cafeteria
First	KES-KO-Kitchen-01	03/13/22	11:49 AM	NPA	057	Pb EPA 200.8	1	PW	G	P	H	Kitchen-01
First	KES-TL-Teachers Lounge	03/13/22	11:50 AM	NPA	058	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	KES-FC-HW by Gym-01	03/13/22	11:51 AM	NPA	059	Pb EPA 200.8	1	PW	G	P	H	Gym-01
First	KES-FC-HW by Gym-02	03/13/22	11:51 AM	NPA	060	Pb EPA 200.8	1	PW	G	P	H	Gym-02

Relinquished by: *[Signature]* Date: 3/15/22 Time: 10:00

Received By: *Amy Dwinney* Date: 3/15/22 Temp °C: 16.0°C
Time: 1320
Catcher

Relinquished by: *Amy Dwinney* Date: 3/15/22 Temp °C: 14.3°C
Time: 1525
Catcher

Received in Lab By: *CB* Date: 3-15-22 Temp °C: 14.3°C
10 Time: 1525 Acceptable N

Sample Conditions	Matrix Key	Bottle Type Key	
Submitted w/ COC <input checked="" type="checkbox"/> Y/N	NPW = Non-Potable Water	P = Plastic	
Protein in containers (with number on COC) <input checked="" type="checkbox"/> Y/N	Sludge, etc. (reported as mg/l)	G = Glass	
All containers intact <input checked="" type="checkbox"/> Y/N	PW = Potable Water (not for SWDA compliance)	O = Other	
Tests water meeting specs <input checked="" type="checkbox"/> Y/N	SWDA = Safe Drinking Water Act	Preservative Key	
All mt. VOA with free of headspace? <input checked="" type="checkbox"/> Y/N	Positive Sample	H = Sodium Hydroxide	A = Ascorbic Acid
	Sample Type Key	C = HCl	H = HNO3
	G = Grab	H2SO4	S =
	8 HC = 8-hour Composite	O = Other	OH = NaOH
	IE = Entry Point		NA =
	IS = Flow		
	IC = Check		
	IS = Special		
	IM = Maximum Residence		



2C03837
Lisa F. Care



TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One) Standard 24hr 48hr 72hr Other

Client Name:	Westchester Environmental LLC.			Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Phone:	610-431-7545	Address:	Roxbury School District
	West Chester, PA 19380	Email:	nabraham@westchesterenvironmental.com		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham			Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	(10) 250ml P + HNO ₃											
First	KES-MO-Nurse	03/13/22	11:52 AM	NPA	61	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	FES-TL-Teachers Lounge	03/13/22	12:01 PM	NPA	62	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	FES-KO-Kitchen-01	03/13/22	12:04 PM	NPA	63	Pb EPA 200.8	1	PW	G	P	H	Kitchen-01
First	FES-KO-Kitchen-02	03/13/22	12:04 PM	NPA	64	Pb EPA 200.8	1	PW	G	P	H	Kitchen-02
First	FES-MO-Nurse	03/13/22	12:03 PM	NPA	65	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	FES-FC-HW by Rm 24	03/13/22	12:06 PM	NPA	66	Pb EPA 200.8	1	PW	G	P	H	HW by Rm 24
First	LRS-MO-Nurse	03/13/22	12:15 PM	NPA	67	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	LRS-FC-HW by 107	03/13/22	12:16 PM	NPA	68	Pb EPA 200.8	1	PW	G	P	H	HW by 107
First	LRS-KO-Kitchen	03/13/22	12:17 PM	NPA	69	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	LRS-FC-HW by 215	03/13/22	12:22 PM	NPA	70	Pb EPA 200.8	1	PW	G	P	H	HW by 215

Relinquished by: *[Signature]*

Date: 3/15/22
Time: 10:00

Received By: Amy DWINLEY 1 Cooler
Relinquished by: Amy DWINLEY 1 Cooler

Date: 3/15/22 Temp °C: 10.0°C
Time: 13:20 Acceptable Y/N
Date: 3/15/22 Temp °C: 14.3°C
Time: 15:25 Acceptable Y/N
Date: 3-15-22 Temp °C: 14.3°C
Time: 15:25 Acceptable Y/N

Received in Lab By: CB (10)

Sample Conditions	Matrix Key	Bottle Type Key
Submitted w/ CCC <input checked="" type="checkbox"/> Y/N	NPW = Non-Potable Water	P = Plastic
Resealed in lab (check match number on receipt) <input checked="" type="checkbox"/> Y/N	Solid = Raw Sludge, Dewatered Sludge, etc. (report as mg/L)	G = Glass
All containers intact <input checked="" type="checkbox"/> Y/N	PW = Potable Water (not for SWDA compliance)	O = Other
Tests within holding times <input checked="" type="checkbox"/> Y/N	SWDA = Safe Drinking Water Act	
40 mg/L VDA with free of headspace? <input checked="" type="checkbox"/> Y/N	Potable Sample	
	Sample Type Key	Preservative Key
	G = Grab	H = Sodium
	SHC = 2 Hour Composite	Thiosulfate
	24 Hour Composite	Acid
		A = Ascorbic
		H = HNO ₃
		G = HCl
		S =
		H ₂ O ₂
		O = Other
		OH = NaOH
		NA =
		None Required



2C03837
Lisa F. Care



Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One) Standard 24hr 48hr 72hr Other

Client Name:	Westchester Environmental LLC.	Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Address:	Roxbury School District
	West Chester, PA 19380		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham	Email:	nabraham@westchesterenvironmental.com
		Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
(10) 250ml P + HNO ₃												
First	LRS-FC-HW by 203	03/13/22	12:22 PM	NPA	071	Pb EPA 200.8	1	PW	G	P	H	Hw by 203
First	LRS-TL-Teachers Lounge	03/13/22	12:26 PM	NPA	072	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	LRS-KO-Kitchen	03/13/22	12:27 PM	NPA	073	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	LRS-FC-HW by 208	03/13/22	12:29 PM	NPA	074	Pb EPA 200.8	1	PW	G	P	H	HW by 208
First	LRS-FC-HW by Auditorium	03/13/22	12:28 PM	NPA	075	Pb EPA 200.8	1	PW	G	P	H	Auditorium
First	NES-FC-HW by Main Office	03/13/22	12:48 PM	NPA	076	Pb EPA 200.8	1	PW	G	P	H	Main Office & Lobby
First	NES-KO-Kitchen	03/13/22	12:49 PM	NPA	077	Pb EPA 200.8	1	PW	G	P	H	Kitchen
First	NES-TL-Teachers Lounge	03/13/22	12:50 PM	NPA	078	Pb EPA 200.8	1	PW	G	P	H	Teachers Lounge
First	NES-FC-HW by Gym-01	03/13/22	12:51 PM	NPA	079	Pb EPA 200.8	1	PW	G	P	H	Hw by Gym-01
First	NES-FC-HW by Gym-02	03/13/22	12:52 PM	NPA	080	Pb EPA 200.8	1	PW	G	P	H	HW by Gym-02

Relinquished by: *[Signature]* Date: 3/15/22
 Time: 10:00

Received By: *Amy Dewinay* Date: 3/15/22 Temp °C: 16.0°C
 Time: 1320 Acceptable Y/N
 1 Cooler

Relinquished by: *Amy Dewinay* Date: 3/15/22 Temp °C: 14.3°C
 Time: 1525 Acceptable Y/N
 1 Cooler

Received in Lab By: *cb* Date: 3-15-22 Temp °C: 14.3°C
 Time: 1525 Acceptable Y/N
 (10)

Sample Conditions	Matrix Key	Bottle Type Key
Submitted w/ GOC <input checked="" type="checkbox"/> Y/N	NPW = Non-Potable Water	P = Plastic
Submitted in containers marked for use per SWDA <input checked="" type="checkbox"/> Y/N	Sludge = Raw Sludge, Dewatered Sludge sol. etc. (reported as mg/L)	G = Glass
All containers intact <input checked="" type="checkbox"/> Y/N	PW = Potable Water (not for SWDA compliance)	Other
Total water holding time <input checked="" type="checkbox"/> Y/N	SWDA = Safe Drinking Water Act Portable Bottle	Preservative Key
40 mL MQA vials free of headspace? <input checked="" type="checkbox"/> Y/N	Sample Type Key	H = Sodium Hydroxide
	G = Grab	A = Ascorbic Acid
	8 HC = 8 Hour Composite	H = HNO ₃
	24 HC = 24 Hour Composite	C = HCl
		H ₂ SO ₄
		Other
		None Required



2C03837
Lisa F. Care



Chain of Custody Record

TAT (Check One) Standard 24hr 48hr 72hr Other

1037F MacArthur Road, Reading, PA 19605
610-376-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

Client Name:	Westchester Environmental LLC.	Project Name:	Roxbury School District
Address:	1248 Wrights Lane	Address:	Roxbury School District
	West Chester, PA 19380		1 Bryant Dr, Succasunna, NJ 07876
Contact Name:	Noel Abraham	Payment / P.O. Info:	

Comments:

Flush / First Draw	Location Code	Date Sampled	Time Sampled	Samplers Initials	Westchester Field Sample #	Tests Requested	Bottle Quantity	Matrix	Sample Types	Bottle Type	Preservative	Sample Description / Site ID
	(2) 250ml P+HNO3											
First	NES-MO-Nurse	03/13/22	12:52 PM	NPA	081	Pb EPA 200.8	1	PW	G	P	H	Nurse
First	Field Blank	03/13/22	12:55 PM	NPA	082	Pb EPA 200.8	1	PW	G	P	H	Field Blank
First												
First												
First												
First												
First												
First												
First												
First												

Relinquished by: *[Signature]*

Date: 3/15/22
Time: 10:00

Received By:

Date: 3/15/22 Temp °C: 16.0 °C
Time: 13:20 Acceptable Y / N
Cader

Amy Dwinley 1 Cader

Relinquished by:

Date: 3/15/22 Temp °C: 14.3 °C
Time: 15:25 Acceptable Y / N
Cader

Amy Dwinley 1 Cader

Received in Lab By:

Date: 3-15-22 Temp °C: 14.3 °C
Time: 15:25 Acceptable Y / N

CB

(2)

Sample Conditions	Matrix Key	Bottle Type Key
Submitted w/ G/C	N/PW = Non Potable Water	P = Plastic
	Contd = Raw Sludge, Condensed	G = Glass
	Sludge, etc. (as reported on tag)	O = Other
Submitted w/ Laboratory	PW = Potable Water	Preservative Key
reason number on	(not for SWDA compliance)	H = Sodium
label	SWDA = Safe Drinking Water Act	Thiosulfate
	Possible Sample	A = Ascorbic
All containers intact	Sample Type Key	Acid
	G = Grab	C = HCl
	D = Distribution	S =
	E = Empty Port	H = HNO3
	R = Raw	OH = NaOH
	C = Check	NA =
	S = Special	None
	M = Maximum	Required
	R = Residue	
Tests were held	24 HC = 24 Hour	
times	Composite	
At the WQA site line		
of headspace?		